



SANDWICH ENCLOSURE WITH UNIQUE WATERTIGHT JOINT FOR ROOF PANELS

For a durable wind and watertight sandwich enclosure, the joint of the sandwich panels is crucial.

WNL Easyjoint is a rigid and durable solution which can be mounted easily.

- LOWER MOUNTING COSTS
- SAFETY DRAINAGE CHANNEL
- SEALANT FREE
- LONG LIFESPAN
- TRUSTED INSULATION
- MINIMUM 10 YEAR WARRANTY

INNOVATION

WNL, in collaboration with SAB-profile, has developed a perfect, simple, waterproof, and sealant-free sealing solution. During manufacturing, the panels and connections are equipped with a sealing rubber and a backup drainage channel.

Quality standard for the Easyjoint:

NEN-EN-ISO 9001:2015

KIWA Easyjoint weatherproof certification:

NEN 2778:2015

Sustainability certificate:

NEN-EN-ISO 14001-2015 BES 6001: BES 643794

Other international certificates:


FM- approval certificate UL- approval certificate ULC- approval certificate


NEWLY DESIGNED JOINT

Specification:

40, 60, 80, or 100 mm thick sandwich panel with high insulation value









ADVANTAGES EASYJOINT

FOR BUILDERS

- Easy mounting
- Immediately waterproof
- Sealant-free, therefore not dependent on temperature and humidity
- Savings on material costs
- Savings on installation costs
- Long lifespan
- Low maintenance
- Minimum 10 year warranty
- Comprehensive advice and support from WNL

BUILD BETTER, BUILD FASTER

FOR GROWERS

- Excellent insulation
- Durable investment
- Large range of colours and materials
- · Long lifespan
- Low maintenance
- Minimum 10-year guarantee

SAFE PRODUCTION, STRONG INVESTMENT

ABOUT WNL

WestNederLand offers high-quality and innovative insulation solutions in the field of roofing and cladding, as well as sheet metal work. We supply for global horticulture and other industrial applications.

Our sandwich panels have a high insulation value and are suitable for all climates and weather conditions.

WNL takes complete care of the customer by:

- Carefully loading containers to ensure that the sandwich panels arrive undamaged.
- Providing expert advice and active involvement in finding solutions that truly meet the customer's needs.
- Proactive and transparent communication throughout the entire process.
- Delivering tailor-made solutions for every challenge.



WALL SYSTEMS





WNL HORTI INSULATION

is committed to developing innovative solutions that benefit not only us but also future generations. Together with our customers, we are building a sustainable future for everyone.

SAB-PROFIEL, FOR ROOFING AND FAÇADE SYSTEMS WITH UNPARALLELED PERFORMANCE.

Roofing and façade systems must be robust and corrosion-resistant. Furthermore, color and gloss must be maintained. These properties characterize the sustainable sandwich panels of SABprofiel: pre-coated steel products with unparalleled performance.

SAB-profiel combines aesthetic quality, durability in use, and freedom of choice in colors. Colorcoat® HPS200 Ultra is particularly suitable for outdoor applications, even in maritime and industrial environments. And Colorcoat® Prisma is the ideal panel for roof and façade, available in 35 solid and 5 matte colors as standard and guaranteed for 40 years.

SAB-profiel (part of Tata Steel Building Systems) is continuously innovating, and in our state-of-the-art production facility in Geldermalsen, we have all the facilities to optimize products and processes.







HORTI INSULATION

WNL Horti Insulation

Honderdland 1003 2676 LV Maasdijk The Netherlands

T | +31 174 523 273 W | www.wnl-horti-insulation.com